

ONELIFT

Proudly brought to you by

THE FUTURE OF ELEVATOR ENGINEERING IN YOUR HANDS



About us

ONELIFT GROUP is a European designer and manufacturer of passengers and freight elevators, with an outstanding capability for making easy as standard what is complicated.

Onelift is also a group of highly experienced enthusiasts specialists, belonging to the elevator industry from different countries, who all share a common vision.

We are completely different from other well known companies that have been selling on the market for ages. The Internet Of Things, smart buildings or remote features already are our present and our future.

Onelift is also a new paradigm of management with constant evolution of applied technologies and training of our staff.

This brochure is intended to be just an overview of what we are doing. Launched in 2018, the Vector Mini unveiled Onelift's cutting-edge vision and

seven other models which followed. All **Onelift's** elevators are produced at its factory together with the vast majority of its products and components.

We are proud to have created a large set of top performance mechanical and electrical parts that, once combined together in our elevators or modernization packages, they become a powerful asset for our customers. Close partnership helps our customers to get the job done. That's our aim.

Ask us for a quotation today!

www.oneliftgroup.com



“ Helping our customers to get the job done ”

ONELIFT

www.oneliftgroup.com

ONELIFT's certified products fulfill all the requirements of the EU Lift Regulation.

ABOUT US	Page 2
ENHANCING CUSTOMER EXPERIENCE	Page 6
YOUR SECURITY, OUR EVERYTHING	Page 8
5 STARS PRODUCT LINE	Page 10
VECTOR, VECTOR MINI	Page 12
VECTOR, VECTOR MEDIUM	Page 14
VECTOR, VECTOR MAXI	Page 16
SPACEFIT, MINI & MEDIUM	Page 18
SPACEFIT MIRACLE	Page 20
MINIFIT	Page 22
DYNAMIC	Page 24
MINIDYN	Page 26
HOME LIFT	Page 28
CAR LIFT	Page 30
DOORS	Page 32
CHOOSE THE AMBIENCE	Page 34
COMFORT VIBES	Page 36
ICONIC STEELS	Page 38
QUARTZ FLOORING	Page 40
HIGH TECH FLOORING	Page 42
FEEL THE LIGHTING	Page 44
TOUCH WITH FINESSE	



ENHANCING CUSTOMER EXPERIENCE

THE FUTURE

is already at your fingertips !

Get all the most advanced technologies in **ONE** lift ,
With the easiest, the simplest way.

- 100% customer-oriented
- Features for Smart buildings, IoT paradigm
- Pre-assembled mechanical parts
- Plug and play wirings & customer-friendly docs
- The most advanced controller in the market
- Smooth & performance oriented design
- Eco-efficiency: LED Lighting, VVVF , ECO-Mode, Energy Regeneration, BREEAM compliance etc.
- Turn-Key projects when required
- Fully devoted to **CANopen**



SECURITY, OUR EVERYTHING

ZERO worries.

Our vision drives us to leadership through the committed pursuit of excellence on customer-oriented products and solutions. It is in our DNA to comply with :

- Outstanding robustness requirements
- Breakdowns prevention
- Largely oversized mechanical calculations
- Extreme quality material combination.
- Extra-High rated suppliers.
- The team: we are proud of our talented people.





Gervall



ONELIFT

ONELIFT



ONELIFT
ZenONE

ONELIFT



SafeLine



Savera



OUR QUALITY LINE FOR ANY **ONELIFT** ELEVATOR




VECTOR Mini,

YOUR BIGRANGEPARTNER AND MUCH MORE

Vector Mini is our must-have. Optimum for regular traffic of public and residential buildings. Incorporates ONELIFT ZenONE Controller and safety systems. Incredibly smooth and comfortable.

- MAX Qn 630 Kg 1,6 m/s
- Machine Roomless (MRL) and Machine Room (MR) options.
- ONELIFT standard quality material.
- Metallic self-portable shaft structures available as an option.



MRL



MR

Example of a basic guide to choose your vector

1m/s	ShaMft iDn ims		Decorated Car			Ctw	Doors 0°	Pit	Headroom MRL	Headroom MR			
Qn (Kg)	Width	Depth	Width	Depth	Internal-height	Position	Type PL	Min	Min	Min			
320	1440	1330	1540	920	1530	110	200	2100	Side Auto	700	725	3230	2900
450	1300	1640	1730	1120	1500			2100	Side Auto	800	725	3230	2900
630								2100	Side Auto	900	725	3230	2900

VECTOR Medium, YOUR BIG RANGE PARTNER

Vector **MEDIUM** is well known to our customers. Designed to fulfill higher traffic and load requirements, it integrates all advantages of Vector design.
MAX performance : Qn **1350** Kg **1,6** m/s
Optimum for public buildings like hospitals, railway stations, airports.

- **ONELIFT ZenONE** Controller and safety systems are incorporated.
- Machine Roomless (MRL) and Machine Room (MR) options
- **ONELIFT** standard.quality material.
- Metallic self-portable shaft structures available as an option.

Example of a basic guide to choose your Vector.

1m/s	Shaft dims Min			Decorated Car		Ctw	Doors 0°		Pit	Headroom MRL	Headroom MR
Qn (Kg)	Width	Depth	Width	Depth	Internalheight	Position	Type	PL	Min	Min	Min
800	1700	1820	1200	1500	2100	Side	Auto	900	950	3225	2900
1000	1600	2420	1100	2100	2100	Side	Auto	900	950	3225	2900
1000	1800	2420	1100	2100	2100	Side	Auto	1000	950	3225	2900
1125	1750	2420	1400	2100	2100	Side	Auto	900	950	3225	2900
1275	1915	2420	1400	2100	2100	Side	Auto	1000	950	3225	2900
1350	1915	2420	1400	2100	2100	Side	Auto	1000	950	3225	2900



VECTOR Maxi, HANDLING BIG LOADS EASILY!

ONELIFT Vector MAXI, is big and powerful, yet smooth & silent. As the “gentle giant” of the Vector range, the MAXI is the perfect solution for goods/passengers lifts in a variety of environments. Busy airports, hotels, office buildings, shopping centres or hospitals are the typical applications where Vector MAXI excels in performance, efficiency, comfort and durability.

In Vector MAXI cars, finishes fit functions. From stunning glass to antibacterial finishes for hospital lifts, the car interiors of these “big boys” meet your most demanding requirements. Max load of 2500 Kg and rated speed 1,6 m/s.

SPACEFIT, WHEN FLEXIBILITY IS KEY


Spacefit designed by ONELIFT fits like a glove on those shafts with difficult shapes or small dimensions, incorporating the ONELIFT signature robustness and superior comfort. Of course, reduced headroom & pit solutions are available as well.

SPACEFIT Mini

With a max load of 300 Kg and speed 1m/s **SPACEFIT mini** masters in combining tight shafts along with the maximization of the car size. It comes typically with 1:1 roping and becomes a winner in small spaces. Reduced headrooms are as low as 3200 mm and pits as shallow as 475 mm. It also comes with ONELIFT signature of superior quality, comfort and robustness.

SPACEFIT Medium

With a max load of 630 Kg and speed 1m/s **SPACEFIT Medium** ensures higher load requirements. With 2:1 roping and superior design, it offers the perfect blend of elegant look and engineering expertise for a beautiful travel in style. It is also for regular traffic buildings like small hotels or stores.



ONELIFT ZenONE Controller and ONELIFT safety systems are incorporated in all models of the traction series. Machine Room-less (MRL) and Machine Room (MR) options. Metallic self-portable shaft structures available as an option

SPACEFIT MIRACLE, WE CAN GO FAR & BEYOND



The finding of a new bespoke lift for an old shaft can be very challenging and requires a truly lift tailor.

The Spacefit **Miracle** is the perfect solution for those shafts having both really reduced headrooms & pits.

ONELIFT ZenONE Controller and **ONELIFT** safety systems and compensatory measures are included.
Compliance with the relevant Regs EN81.20 & EN81.21 is guaranteed as well as ONELIFT signature quality & comfort.



With a max load of 630Kg and speed at 1m/s, Spacefit Miracle

allows combining headrooms as low as 2700 mm and pits as shallow as 650 mm !

Different door options are available in order to maximize doors openings and car sizes.


MINIFIT, THE BIG CHAMPION IN NARROW PLACES!



When a vertical transportation solution is required and the space available is very narrow, **ONELIFT Minifit** is just the most advanced gearless traction lift answer to your much sought after lift solution.

No lift shaft available?
No worries! By combining our **Minifit** along with a self-portable structure you can take advantage for instance of the space of an existing stairwell — even with reduced headroom — for your much needed lift and ONELIFT will design the whole lift project for you.

Just let us know your preferred lift car interior or which cladding option you fancy for your structure!



DYNAMIC

THE HYDRAULIC LIFT

ONELIFT Dynamic is the lift model where tradition meets modernity. Our hydraulic lifts incorporate traditional **ONELIFT** robustness and reliability along with the latest technologies in controllers and customer interface.

ONELIFT Dynamic lift enhances comfort and performance by using electronic valves and with the shaft absolute positioning system provides outstanding accuracy in the stop and levelling of the lift car.

LOAD RANGE (Kg) :	225-1000
MAX SPEED (m/s) :	0.63
MAX TRAVEL (m)	15
MIN PIT DEPTH (mm)	500
MIN HEADROOM (mm)	2650



The Dynamic load range goes up to 1000 Kg
Structures are available as an option.

MINIDYN

THE NANOSOLUTION FOR NANO SPACES

ONELIFT gives hope when the situation becomes impossibly tight !

With a min. DBG or PL as small as 500 mm this solution can provide lift cars for just 1 Passenger !

No matter how small, the Minidyn complies with the relevant Regs EN81.20 & EN81.21 etc.

As robust as its big brother the Dynamic, Minidyn also incorporates electronic valves for superior comfort.

MAIN DATA	MINIDYN HYDRAULIC
LOAD RANGE (Kg) :	100-300
MAX SPEED (m/s) :	0.63
MAX TRAVEL (m)	15
MIN PIT DEPTH (mm)	500
MIN HEADROOM (mm)	2650



HOME LIFT

ACCESSIBILITY WRITTEN IN CAPITALS

An excellent solution & safe environment to overcome architectural barriers. Focused in making our solution seriously

affordable, to make them even more accessible.

Machinery Directive 2006/42/EC compliant

MAIN DATA	HOME LIFT	HOME LIFT BIG DUTY
MAX.LOAD (Kg) :	385	385 / 500
MAX SPEED (m/s) :	0.15	0.15
CAR GUIDE RAILS	T82/A	T90/B
MAX TRAVEL (m)	11.5	11.5
DIST BETWEEN BRACKETS 1500 (mm) :		1500
MIN PIT DEPTH (mm)	200	350
SPECIAL MIN. PIT DEPTH 150 (mm) :		300
MIN HEADROOM	2300	2300
WITHOUT CAR DOOR	2600	2600
MIN HEADROOM WITH CAR DOOR		



NEW! Home Lift Big Duty.
When you need an extra bit on your accessibility requirements, Onlift Big Duty provides you with bigger options.

CAR LIFT


WE MOVE YOUR CAR TOO !

ONELIFT car solutions comply with the Machinery Directive 2006/42/EC taking good care of your vehicle when accessing your office building or home car park.



MAIN DATA LOAD RANGE (Kg) :	CAR LIFT	FREIGHT	PLATFORM
MAX SPEED (m/s) :	MAX TRAVEL 3000	385—2800	0.2 (no
(m) MIN PIT DEPTH (mm)	0.15 11.5	passengers)	11.5 150-
SPECIAL MIN. PIT DEPTH (mm) :	450 350	450 150-450	
MIN HEADROOM WITHOUT CAR DOOR (mm)	2600	Free doors height+250	

NEW ! Freight platforms:
We adapt its size and load to your requirements including reduced headrooms and pits.



DOORS THAT FIT EACH LIFESTYLE



Regular models

Smooth and resistant models allow amazingly easy and fast installation and maintenance .

HYDRA Wittur doors are available in various powder-coated RAL colours, stainless steel finishes, glass executions and many other options.

High & Heavy traffic
Strong and silent Pegasus Doors. Incorporating high-efficiency VVVF Supra motorization. Designed to reduce energy consumption and equipped with 0 Watt standby mode. Maximum application flexibility. .



Choose
an unlimited
range of
first class
executions




Choose the ambience of your **ONELIFT**

COMFORT VIBES

Build an outstanding **environment** with our premium panel finishes

Lacquered glass: audacious and exquisit

BK 9005 R 3003 W 9003 BL 5002 TRANSPARENT




Elegant ultra clear float glass R3003 with solid lacquer coating.



Laminate: relaxing & soft wooden finishes

ARSLANBOB OAK CHERRY RITZ



Cosy and elegant wooden paneling that makes you feel like home



*Combinations and other finishes/colours are available on request

ICONIC STEELS

Select your favorite *steedish* paneling, and give them a special touch.

Coloured steels: essential synthetic-coated steels.


N1



QUARTZ



SIMIL SST



MIRO




Pure Steels: hard-wearing textured stainless steels.


BRUSHED




LINEN



SKIN



CHECKS



A must-have coloured panel that combines with our incredible floorings



The contemporary steel interior



QUARTZ FLOORING

CHOOSE your extraordinarily hard flooring

Quartz, granite or marble based impact stones, can be adapted to the space you're **creating** and are capable of endure any type of traffic

The elegance of natural stones

Other finishes available on request. Not that natural stones always show some differences from these samples.



Modern quartz based stone

Other finishes available on request



TECH FLOORING

Anti-slip flooring.

Ask for our resilient and stylish range of patterns. Versatil performance is perfect for public buildings and high traffic requirements.

Onelift offers several flooring solutions that are durable, and easy to maintain.

If you want to create your own elevator ambience

or improve its performance, Onelift offers you a unique combination of modern design possibilities.

Metal based flooring for freight elevators



Aluminium



Sst 304

Ask for a high-end synthetic materials, it is warm, odorless, noiseless and durable !

Other finishes available on request




Bone



Dolphin



Midnight



Pitch



Quartz V.



FEEL THE LED LIGHTING

SAVE ENERGY WITH **ONE**LIFT, WE ARE GREEN



B SPOTS LED







B SQUARES

B VISION

SPOT LED

SQUARES

VISION



TOUCH

Touch & Touchless



Remote & handsfree line



WITH FINESSE



New Generation
Customizable
CAN OPEN TFT displays

Iconic essentials



Achille



Achille
Black1



Achille
Black 2



Achille
Gold



iButton

HELPING OUR CUSTOMERS TO GET THE JOB DONE !

WWW . ONELIFTGROUP . COM

PROUDLY BROUGHT TO YOU BY

GLOBAL ELEVATORS PTY LTD, AUSTRALIA



CONTACT US



info@globalelevators.au



www.globalelevators.au

